




These lights can be accomodated with either a 26° a 36° or a 74° light beam.



400-082, 6W High power spreader/deck light, available 26° or 36° or 74°, dimmable

DRAWING NO.: 400-082AA	REV. NO.: 0	SIZE: A3	DRAWN BY: paulhardercohen
SCALE: 1:1	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: JM	

MATERIAL DESCRIPTION:
Aluminium & Acrylic


This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.





Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

Tel: (+45) 32 48 50 30 Fax: (+45) 32 48 50 32
info@lopolight.com







The 10° wedge can be reoriented in relationship to the base plate in 45° Intervals



These lights can be accomodated with either a 26° a 36° or a 74° light beam.



400-082, 6W High power spreader/deck light, available 26° or 36° or 74°, dimmable with Angle Base

DRAWING NO.: 400-082BB	REV. NO.: 0	SIZE: A3	DRAWN BY: paulhardercohen
SCALE: 1:1	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: JM	

MATERIAL DESCRIPTION:
Aluminium & Acrylic





This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32
info@lopolight.com





400-082, 6W High power spreader/deck
light, 6°, dimmable

DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
400-082CC	0	A3	paulhardercohen

SCALE:	TOLERANCES:	REVIEWED BY:
1:1	DS/ISO 2768-f	JM

MATERIAL DESCRIPTION:
Aluminium & Acrylic

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.

LOPOLIGHT


Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

www.lopolight.com





Tel: (+45) 32 48 50 30 Fax: (+45) 32 48 50 32
info@lopolight.com

50MM AT A3





The 10° wedge can be reoriented in relationship to the base plate in 45° Intervals



400-082, 6W High power spreader/deck light, 6°, dimmable With Angle Base

DRAWING NO.: 400-082DD	REV. NO.: 0	SIZE: A3	DRAWN BY: paulhardercohen
SCALE: 1:1	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: JM	

MATERIAL DESCRIPTION:
Aluminium & Acrylic

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32
info@lopolight.com

